



TYPE 1A (INFLOW)



TYPE 1B (OUTFLOW)
AS APPROVED BY CITY ENGINEER

NOTES:

1. EXPANSION JOINTS SHALL BE 3/4 INCH WIDE, INSTALLED EVERY 100 FEET AND AS CLOSE TO LOT LINES AS POSSIBLE.
2. EXPANSION JOINTS SHALL BE INSTALLED AT THE INTERFACE OF CURB AND GUTTER AND GUTTER CONCRETE THAT HAS BEEN OR WILL BE POURED MONOLITHICALLY WITH DRIVEWAY APRONS.
3. EXPANSION JOINTS SHALL BE INSTALLED AS SHOWN ON THE PLANS AND CITY STANDARD DETAILS OR AS OTHERWISE DIRECTED BY THE ENGINEER.
4. ALL SMOOTH DOWELS SHALL BE GREASED OR COATED FOR DEBONDING, INSTALLED PERPENDICULAR TO THE JOIN, AND INSTALLED PARALLEL TO ADJACENT DOWELS.



TYPE 2 (MOUNTABLE)
AS APPROVED BY CITY ENGINEER

EXPANSION JOINT ————— ROADWAY

EXPANSION JOINT

EXPANSION JOINT

CONCRETE
CURB & GUTTER

EXPANSION JOINT LOCATION AT CORNER

City Plate No.:	STR-2C
Last Revision:	02/24/2022
Section:	3200

STANDARD DETAILS
CURB & GUTTER
REINFORCEMENT FOR REPAIRS

City of Minot